	Application No.	Applicant(s)
	10/800,772	ARAKAWA, SATOSHI
Notice of Allowability	Examiner	Art Unit
	Jurie Yun	2882
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>IDS filed 3/16/04.</u>		
2. The allowed claim(s) is/are <u>1-10</u> .		
3. The drawings filed on 16 March 2004 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
<ul> <li>Attachment(s)</li> <li>1.</li></ul>	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr	te
· 3.//. ·		

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04)



Application/Control Number: 10/800,772 Page 2

Art Unit: 2882

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Carl Pellegrini on July 1, 2005.

The application has been amended as follows:

In claim 1, between lines 2 and 3, insert --a penetrating radiation source--In claim 9, line 3, after "using" insert --penetrating--

## Allowable Subject Matter

- 2. Claims 1-10 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: Prior art fails to disclose a radiography system for acquiring a radiographic image of an object using radiation, comprising an object type determination section for determining an object type of the radiographic image received by the radiographic image receiving section based on the optical image received by the optical image receiving section, as claimed in claim
- 1. Prior art fails to disclose a machine readable medium storing thereon a program for causing a radiography system to acquire a radiographic image of an object using penetrating radiation, the program comprising modules configured to execute steps of determining an object type of the radiographic image received in said radiographic

Art Unit: 2882

image receiving step based on the optical image received by said optical image receiving step, as claimed in claim 9.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Vijverberg (USPN 4,246,607) discloses an x-ray fluoroscopy device. Yonekawa (USPN 6,504,897 B1) discloses an x-ray image radiographing system.
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jurie Yun whose telephone number is 571 272-2497. The examiner can normally be reached on Monday-Friday 8:30-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on 571 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/800,772 Page 4

Art Unit: 2882

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jurie Yun July 12, 2005

> Craig E. Church Primary Examiner

Crong E Church